

$\bigcirc = \text{ABS} + \text{KWIC}$ unless specified

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S92	\bigcirc 31	(activation adj code) with (email (e adj mail))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/07 15:24
S93	\bigcirc 13	@ad<"20020118" and (activation adj code) with (email (e adj mail))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 06:16
S94	\bigcirc 4	@ad<"20020118" and (((activation unlock\$3) adj (code key))) same (email (e adj mail)) and ((activat\$3 enabl\$3 unlock\$3) adj (software features))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 12:54
S95	189	@ad<"20020118" and (regist\$6 same trial same (code key))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 06:23
S96	\bigcirc 26	@ad<"20020118" and (regist\$6 same trial same (code key) SAME (activat\$3 enabl\$3 unlock\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 06:27
S97	\bigcirc 7	@ad<"20020118" and (shareware same (code key) SAME (activat\$3 enabl\$3 unlock\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 06:28
S98	<i>kwic</i> \bigcirc 48	@ad<"20020118" and (shareware same (code key))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 06:29
S99	41	S98 not S97	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 06:29
S100	\bigcirc 7	@ad<"20020118" and (shareware same (code key)) same (email (e adj mail))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 06:31
S101	\bigcirc 8	@ad<"20020118" and (shareware same (code key)) and ((code key) with (email (e adj mail)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 08:25
S102	<i>kwic</i> \bigcirc 70	(email (e adj mail)) with (paper adj mail)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 09:15
S103	\bigcirc 70	(email (e adj mail)) near3 (faster quicker)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 10:33
S104	0	@ad<"20020118" and (automatic\$5 with (e adj mail\$3) with ((activat\$4 unlock\$3 enabl\$5) adj2 (key code)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 11:18
S105	\bigcirc 17	@ad<"20020118" and ((e adj mail\$3) with ((activat\$4 unlock\$3 enabl\$5) adj2 (key code)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 11:23
S106	<i>kwic</i> \bigcirc 43	@ad<"20020118" and ((e adj mail\$3) with ((regist\$6 activat\$4 unlock\$3 enabl\$5) adj2 (key code)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 11:23

S10 7	26	@ad<"20020118" and ((e adj mail\$3) with ((regist\$6) adj2 (key code)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 12:35
S10 8	112	705/55.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 12:35
S10 9	13	705/55.ccls. and (e adj mail\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 12:36
S11 0	40	"705"/\$.ccls. and (e adj mail\$3) and shareware	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 12:36
S11 1	34	@ad<"20020118" and ((code key) same (e adj mail\$3)) and shareware	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 12:55
S11 2	5	@ad<"20020118" and ((code key) same (e adj mail\$3)) same shareware	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 12:55
S11 3	7	@ad<"20020118" and ((code key) same ((e adj mail\$3) email)) same shareware	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 12:56
S11 4	7	@ad<"20020118" and ((code key) same ((e adj mail\$3) email\$3)) same shareware	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 13:39
S11 5	31	one adj3 password same cell	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 13:56
S11 6	67	(password same mobile) same activation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 14:02
S11 7	267	((code key password) with display\$3 with (mobile portable wireless cell cellular phone telephone)) same activation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 14:03
S11 8	733	((code key password) near3 display\$3 near3 (mobile portable wireless cell cellular phone telephone)) same user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 14:03
S11 9	449	@ad<"20020118" and ((code key password) near3 display\$3 near3 (mobile portable wireless cell cellular phone telephone)) same user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 14:03
S12 0	149	@ad<"20020118" and ((code password) near3 display\$3 near3 (mobile portable wireless cell cellular phone telephone)) same user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 14:04
S12 1	59	@ad<"20020118" and ((code password) near3 display\$3 near3 (mobile portable wireless cell cellular phone telephone)) same user and ((code key password) with (activat\$3 enabl\$5 unlock\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/08 14:04
S12 2	31	("4910775").URPN.	USPAT	OR	ON	2006/02/08 14:12

S12 3	1220	vending same (portable mobile cell cellular phone telephone)	USPAT	OR	ON	2006/02/08 14:13
S12 4	927	vending with (portable mobile cell cellular phone telephone)	USPAT	OR	ON	2006/02/08 14:13
S12 5	144	vending same (portable mobile cell cellular phone telephone) same (code password)	USPAT	OR	ON	2006/02/08 14:15
S12 6	112	vending same (mobile cell cellular phone telephone) same (code password)	USPAT	OR	ON	2006/02/08 14:15
S12 7	full 23	vending same (mobile cell cellular phone telephone) near3 (code password)	USPAT	OR	ON	2006/02/08 14:15
S12 8	1727	@ad<"20020118" and ((cell cellular) with (email (e adj mail)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 07:09
S12 9	430	@ad<"20020118" and ((cell cellular) with (email (e adj mail))) with (wireless portable)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 07:09
S13 0	522	@ad<"20020118" and ((cell cellular) with (email (e adj mail))) with (wireless portable mobile)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 07:11
S13 1	kwil 43	@ad<"20020118" and ((cell cellular) with (receiv\$3 near2 (email (e adj mail)))) with (wireless portable mobile)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/09 07:11
S13 2	4	@ad<"20020118" and trial same ((email (e adj mail)) message) near3 expir\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 08:40
S13 3	0	"about to" adj expir\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 08:34
S13 4	22	@ad<"20020118" and trial same ((email (e adj mail)) message) same expir\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 08:40
S13 5	18	S134 not S132	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:24
S13 6	0	verif\$7 near2 (email (e adj mail)) with activation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:24
S13 7	1	verif\$7 near2 (email (e adj mail)) with resolv\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:24
S13 8	kwil 42	verif\$7 near2 (email (e adj mail)) same support	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:25
S13 9	2	verif\$7 near2 (email (e adj mail)) same (tech\$5 adj support)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:26
S14 0	1	verif\$7 near2 (email (e adj mail)) same (ticket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:53
S14 1	2	verif\$7 near2 (email (e adj mail)) same (problem with resolv\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:35

S14 2	89	support same ticket same (resolv\$3 resolution)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:35
S14 3	24	support same ticket same (resolv\$3 resolution) same (\$2mail)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:44
S14 4	8	support same (follow\$2 (follow\$3 adj up)) same (resolv\$3 resolution) same (\$2mail)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:44
S14 5	1	support same (followup (follow\$3 adj up)) same (resolv\$3 resolution) same (\$2mail)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:45
S14 6	13	support same (followup (follow\$3 adj up)) with (\$2mail)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:51
S14 7	1343	request\$3 near3 verif\$7 near3 user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:51
S14 8	32	(request\$3 near3 verif\$7 near3 user) with (proper\$2 resolv\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:53
S14 9	2958	verification near3 (email (e adj mail) message)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 09:53
S15 0	30	(\$2mail\$3) same (confirm\$5 verif\$7) same ((trouble problem ticket) near3 resolv\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 10:49
S15 1	15	@ad<"20020118" and (\$2mail\$3) same (confirm\$5 verif\$7) same ((trouble problem ticket) near3 resolv\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 10:36
S15 2	141	@ad<"20020118" and (\$2mail\$3) same ((reply\$3 replie\$2) with (subject (first subject) adj line))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 10:37
S15 3	8	@ad<"20020118" and (\$2mail\$3) same ((reply\$3 replie\$2) with (subject (first subject) adj line)) same (resolv\$3 clos\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 10:37
S15 4	177	(\$2mail\$3) same (survey) same software	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 10:50
S15 5	100	@ad<"20020118" and (\$2mail\$3) same (survey) same software	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 10:55
S15 6	2279	@ad<"20020118" and automatic\$4 with (message email\$3 ((e electronic) adj mail\$3)) same (enabled\$3 activat\$3 unlock\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 10:57

S15 7	21	@ad<"20020118" and automatic\$4 with (message email\$3 ((e electronic) adj mail\$3)) same ((success\$4 satisfact\$4) with (enabled\$3 activat\$3 unlock\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 10:59
S15 8	162	@ad<"20020118" and (success successful\$2 satisfact\$4) with ((enabled\$3 activat\$3 unlock\$3) near2 (application software option feature))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 11:00
S15 9	43	@ad<"20020118" and (success successful\$2 satisfact\$4) with ((enabled\$3 activat\$3 unlock\$3) near2 (application software option feature)) same (message email\$3 ((e electronic) adj mail\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 11:03
S16 0	2	@ad<"20020118" and (success successful\$2 satisfact\$4) with ((enabled\$3 activat\$3 unlock\$3) near2 (application software option feature)) same (email\$3 ((e electronic) adj mail\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 11:03
S16 1	8	@ad<"20020118" and (confirm\$5 verif\$7 valid\$5) with ((enabled\$3 activat\$3 unlock\$3) near2 (application software option feature)) same (email\$3 ((e electronic) adj mail\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 11:12
S16 2	3349	@ad<"20020118" and (confirm\$5 verif\$7 valid\$5) with (email\$3 ((e electronic) adj mail\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 11:13
S16 3	123	@ad<"20020118" and (confirm\$5 verif\$7 valid\$5) with (email\$3 ((e electronic) adj mail\$3)) with (success successful completion)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 11:15
S16 4	1	@ad<"20020118" and (confirm\$5 verif\$7 valid\$5) with (email\$3 ((e electronic) adj mail\$3)) with (success successful completion) same (customer adj2 (care service support))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 11:15
S16 5	15	@ad<"20020118" and (confirm\$5 verif\$7 valid\$5) with (email\$3 ((e electronic) adj mail\$3)) with (success successful completion) and (customer adj2 (care service support))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/09 11:15
S16 6	1	("5,893,099").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/09 13:16
S16 7	1	("20020129275").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/09 13:16
S16 8	3	((("20020090934") or ("20030013434") or ("6,738,760"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/09 13:17